



ATLD/IP65/W

Twistlock GU10 50W IP65 Downlight White



Features

IP65 downlight suitable for bathroom use.

Die-cast aluminium construction with clear glass.

Permanent earth on stirrup bracket for GU10 mains earthing.

Generous size of terminal housing for ease of wiring.

General Information

Lamp Type	GU10
Colour / Finish	White
OCTO Compatibility	Smart Indoor controller
IP Rating	IP65
Class Protection	1
Bathroom Zone	1 & 2
Internal / External	Internal
Surface / Recessed / Suspended	Recessed
CE Mark	Yes
Diameter (mm)	98
Height (mm)	110
Accessories	ATL/BA

Technical Information

Wattage	50W
---------	-----

Technical Data - ETIM - Downlight/spot/floodlight (EC001744)

Suitable for surface mounting	No
Suitable for built-in mounting	Yes
Suitable for wall mounting	No
Suitable for suspended mounting	No
Suitable for ceiling mounting	Yes
Suitable for traverse mounting	No
Suitable for pedestal/floor mounting	No
Suitable for light-track mounting	No
Adjustability	Not adjustable
With movement sensor	No
With light sensor	No
With light source	No
Suitable for number of lamps	1
Lamp holder	GU10
Material housing	Aluminium
Colour housing	White
Degree of protection (IP)	IP65
Protection class	I
Max. system power	50 W
Width	170 mm
Height/depth	110 mm
Outer diameter	98 mm

Datasheet generated from <https://onetimepim.com> last updated Monday, November 4, 2019 1:47:01 PM

