

ATLD/SC

Twistlock GU10 50W Die-Cast Downlight Satin Chrome



Features

Manufactured from high grade die-cast aluminium.

Permanent earth on stirrup bracket for GU10 mains earthing.

Generous size of terminal housing for ease of wiring.



Belfast: +44 (0) 2890 773750

General Information

Lamp Type	GU10
Colour / Finish	Satin Chrome
OCTO Compatibility	Smart Indoor controller
IP Rating	IP20
Class Protection	1
Internal / External	Internal
Surface / Recessed / Suspended	Recessed
CE Mark	Yes
Diameter (mm)	82
Height (mm)	108
Accessories	ATL/BA

Technical Information

Wattage	50W
---------	-----




Technical Data - ETIM - Downlight/spot/floodlight (EC001744)

Suitable for surface mounting	No
Suitable for built-in mounting	Yes
Suitable for wall mounting	No
Suitable for suspended mounting	No
Suitable for ceiling mounting	Yes
Suitable for traverse mounting	No
Suitable for pedestal/floor mounting	No
Suitable for light-track mounting	No
Adjustability	Not adjustable
With movement sensor	No
With light sensor	No
With light source	No
Suitable for number of lamps	1
Lamp holder	GU10
Material housing	Aluminium
Colour housing	Chrome
Degree of protection (IP)	IP20
Protection class	I
Max. system power	50 W
Width	160 mm
Height/depth	108 mm
Outer diameter	82 mm

Datasheet generated from https://onetimepim.com last updated Monday, November 4, 2019 1:46:06 PM





Belfast: +44 (0) 2890 773750