

Outdoor LumiDisc 8.4W 3000K 350lm IP54*Partcode: ILDEA030 / Page: 1*

The Integral LED Outdoor range offers style and substance, with contemporary designs and hardwearing, weatherproof aluminium construction. This range of modern luminaires creates the perfect accent lighting for exterior walls in residential and commercial environments with all the low-energy and long-life benefits of LED.

The LumiDisc is an attractive up/down wall light featuring two polycarbonate diffusers to give a gentle wash of light to your wall. The dark grey, powder coated finish is both beautiful and rugged.

Product Details

Partcode: ILDEA030

Check Code: 478991

Range Name: Wall Light

Product Type: Outdoor

Warranty: 3 Years

CE / RoHS: Yes

Physical Data

Optic: Opal Polycarbonate diffuser

Material: Die cast aluminium body with powder coated finish

Physical Data

Length: 76mm

Width: 90mm

Depth: 107mm

Weight (Unpackaged Single Unit): 470g

Luminaire Fixing: Wall Mounted

Electrical Data

Voltage Range: 220-240V

Power Consumption: 8.4 Watts

Driver included: Yes

Electric Current: AC

Ampage: 350.00mA

Frequency Range: 50/60 Hz

Power Factor: ≥ 0.80

Dimming: Non-dimmable

LVD Certified: Yes

EN: EN-60598

Light Data

Lumens: 350lm

Lumens per Watt: 42.0lm/W

Correlated Colour Temperature (CCT): 3000k

Colour Temperature: Warm White

Colour Rendering Index (CRI): ≥ 80

LED Type: Surface mounted device (SMD)

Instant on - Less than 1 second: Yes

Lifetime: 25,000 hrs

Switching Cycles: $>12,500$ X

Environmental

Lowest Operating Temperature: -20 degrees
Maximum Operating Temperature: 40 degrees
IP (Ingress Protection) Rating: IP54
Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788242673

Packaged Weight (Unit of 1): 520g

Length (unit of 1): 117mm

Width (unit of 1): 86mm

Depth (unit of 1): 100mm

Outer packaging info available on website

Product data last updated on: Friday, August 2, 2019 - 20:27