

## **Product Specification Sheet**

# **Evofire 70mm cutout Fire Rated Static Downlight Square White GU10 Holder With Bracket**



The Evofire Fire Rated Downlight is a safe and attractive fitting for a GU10 or MR16 LED lamp. The fully open design of the Evofire does not conceal your lamp in a large metal canister, which can trap some of the heat it generates, lowering lamp lifetime and performance. Lamps installed in an Evofire run at up to 10 degrees C cooler than a typical can-style fire rated downlight from leading LED brands - this can extend the lifetime of your lamps.

As well being very tough thanks to its steel construction, The Evofire is also a highly aesthetic choice for Fire Rated lighting. The 1mm blend-in bezel is up to 10 times thinner than typical IP65 rated downlights, has a high quality powder coating and fits almost flush with your ceiling, so the downlight looks discreet and pleasing in any setting.

This downlight is fire rated to 30, 60 and 90 minutes in compliance with BS476 Part 21:1987, Air Tightness compliant with Part C and Part L and Resistance to Sound compliant with Part E. See installation guide for full details.

#### Watch Video

Evofire shown with Real Colour GU10 LED lamp (sold separately).

#### **Product Details**

Partcode: ILDLFR70D009

Check Code: 137655

Range Name: EVOFIRE

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: Fire Rated

Warranty: 3 Years CE / RoHS: Yes

#### **Physical Data**

Product Finish: Matt white Material: Steel, Glass

Construction: Pressed Steel, Glass







# **Product Specification Sheet**

Partcode: ILDLFR70D009 / Page: 2

### **Physical Data**

Length: 83mm Diameter: 85mm

Weight (Unpackaged Single Unit): 120g

Cut Out Diameter: 70mm

Lamp or Luminaire Shape: Square Luminaire Fixing: Recess mounted

Fire Rating: 30, 60, 90

**Electrical Data** 



# **Product Specification Sheet**

Partcode: ILDLFR70D009 / Page: 3

### **Environmental**

IP (Ingress Protection) Rating: IP65
IP Rating (Back/Recessed side): IP20

### **Packaging**



EAN Barcode (unit of 1): 5055788228684

Packaged Weight (Unit of 1): 240g

Length (unit of 1): 100mm Width (unit of 1): 90mm Depth (unit of 1): 115mm

Outer packaging info available on website

Product data last updated on: Thursday, October 25, 2018 - 16:12