



GE  
Lighting

43  
kWh/1000h

A  
energy class

93  
lumens/watt

T8 Polylux XLR™ - G13 Cap  
FT8/36W/840/GE/SL1/25

62551



## Product information

Polylux XLR™ lamps should be the natural choice for all fluorescent lighting applications. The excellent colour reproduction flatters skin tones making people appear more natural, and makes merchandise appear more vibrant and colourful.

## Application areas



Retail




Office



Education



Industrial



WORLDWIDE PARTNER

### Product data

Product Code	62551
Bulb Shape	Tubular
Bulb Diameter [mm]	26
Bulb maximum overall diameter [mm]	26
Cap to Cap Length (Max) [mm]	1199.4
Net weight per piece [g]	185
Gross weight per piece [g]	214
Mercury Content [mg]	2.9
UV radiance	Exempt
Brand	General Electric (GE)
Cap/Base	G13

### Performance data

Colour Code	840
Lumen at 25°C [lm]	3350
Weighted energy consumption [kWh/1000h]	42.37
Rated efficacy [lm/W]	93
Energy efficiency class (EEC)	A
Rated Life [h]	15000
Rated median life on electromagnetic (EM / CCG) ballast 18000 on IEC 12-hour cycle	
Rated median life on electronic (HF / ECG) ballast on IEC 23000 12-hour cycle	
Rated median life on electronic (HF / ECG) ballast on IEC 20000 3-hour cycle	
Nominal correlated colour temperature (CCT) [K]	4000
Nominal lumens [lm]	3350
Colour Rendering Index (CRI) [Ra]	85


## Electrical data

Design Ambient Temperature [°C]	25
Design Lamp ambient temperature [°C]	25
Starting ambient temperature range	-15
Dimming Capability	Yes
Nominal power [W]	36


## Logistic data

DUN Code	10043168625514
EAN Code	0043168375566
Pack Quantity	25
Inner pack type	SL
Outer pack type	OB
Layer quantity	125 EUR, 150 UK
Layer quantity EUR	125
Layer quantity UK	150
Pallet quantity EUR (PC)	750
Pallet quantity UK (PC)	900
Outer case size	1230 x 145 x 150 (mm)
Product status	Available


## Technical drawing




## Lumen maintenance data



## Survival data



## Service life data



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Linear Fluorescent Lamps Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[LFL Lamps Spectrum Catalogue \(EN\) \(PDF\)](#)

[LFL T8 Polylux XLR™ Data sheet \(EN\) \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)